



TekStar Full Color
20mm 32x112
CABINET SIZE: 5x8'

NOTE:
In order to ensure that the sign does not over heat;
any masonry structure will need to be built such that a 2"
air gap is maintained around the sign's cabinet.

TekStar-Full Color 20mm
32x112 CAPABILITIES

22.8"	2 ROWS OF 9.4"	CAN ALSO SHOW 1 ROWS OF 7.1" PLUS 1 ROW OF 5.5"
-------	-------------------	--

Approved as shown. x _____ date _____ 1. _____
Approved with listed changes x _____ date _____ 2. _____
x _____ date _____ 3. _____



Ph. 1-800-237-3928 Fax 1-800-485-4280
 DUE TO THE PHYSICAL LIMITATIONS OF THE PAPER AND REVERSED PRINTING PROCESS THIS CUSTOM
 ATTENTION: NOT INTENDED TO PROVIDE AN EXACT MATCH BETWEEN LINK MARK, MARK OR EDICION
 ANY SIZE REDUCTION OF BACKGROUND MASONRY AND UNDERLIGNING IS NOT INCLUDED IN THE PROPOSAL.
 ANY SIZE REDUCTION OF SIGNAGE WILL INCREASE THE COST OF THE FINAL PRODUCT. MANY DAILY
 LED IMAGES SHOWN ARE SMALLER TO REPRESENT HERE. LUTION FROM ORIGINAL VIEWING DISTANCE.
 1/2" = 1' SK. #805017-1 1.24.14 F/T/CROWE CUST. #1843336 -PROPOSAL-
 ORIGINAL DESIGN DO NOT DUPLICATE



20MM 32X112 CAPABILITIES



20MM 32X112 CAPABILITIES





SCOTT COUNTY CHURCH OF CHRIST
 1775 CINCINNATI RD
 GEORGETOWN, KY 40324

Attn: Daniel & Robin Davis
 502-333-3929

Consultant
 Tim Crowe, #338
 bcrowe@stewartsigns.com

Customer ID: 194334
 Quote #: 80007 / 1
 Quoted: 1/31/2014

DESCRIPTION

5x3 Double Sided TekSign Sign Cabinet with 32" Full Color LED Display. Thermoformed ~~Makrolon~~ SL Facet Decorated-on-Inside Surface with ~~DM-Key~~ Graphics. 12" Deep Hinged Extruded Aluminum Cabinet.

Face / Cabinet Details

Double Sided ~~TekSign~~ Full Color with 30mm 320x112 ~~Head~~ Header Area Decorated with Internal Photo-Real Graphics

Electrical Information

Horizontal Lamp Illumination with Electronic Ballast(s)
 One 20 Amp Circuit, 120 Volt; Max Draw: 14.1 Amp
 LED Communication Method: ~~Remote Wireless~~
~~connectivity~~ requires line-of-sight between sign antenna and ~~wireless~~ device antenna mounted on building by customer.
~~Maximum distance of 5,000 feet between antennas.~~

Structural Details

Mount Style: 2"x 2" x 1/8" Aluminum Mounting Brackets: 1 ~~per~~ Side and 2 ~~per~~ on Bottom

Miscellaneous Items

FREIGHT INCLUDED IN QUOTE

NO LEG STRUCTURE

*** Review Custom Artwork for Text, Graphic and Layout Details ***

LD Cabinet: White Draft: White Header Background: Burgundy
 Header Copy: White Header Logo: custom

Investment: \$17,410.00

Unless otherwise noted in ~~quasi~~ instructions, these prices are valid for ~~all~~ days.
 Freight, storage, other freight services and applicable sales tax will be added to your ~~invoice~~.

Organizations exempt from sales tax must include exempt certificate with order.

Shipping Terms: F.O.B. Origin
 Payment Terms: 50% Down, Balance due 10 days after shipment

Customer's Authorized Signature

Print Name _____ Date _____

1/31/2014

Tim Crowe, Regional Manager - Church Division
 (800) 237-3928, x338

Date _____